


# OUTDOOR BILLBOARD LED DISPLAY









### WHATEVER YOU IMAGINE A BILLBOARD TO BE,

## YS BILLBOARD IS THE ONE YOU ARE LOOKING FOR

Yaham YS is an all-new DOOH advertising billboard, it is based upon its previous generations but with more than hundreds of details upgraded and redesigned that fundamentally helps to improve the way how you install and present. It has been brought to a new completion and a whole new level. Whatever you imagine a billboard to be, YS billboard is the one you are looking for.

#### **FEATURES**



Ultra light cabinet



Lower wind-load



IP65



Front/rear access



Noiseless




Energyefficient



# Wind-through and anti-glare module

Since the launch of Yaham's Wind-through module, it revolutionized the digital billboard and received warm welcome in DOOH advertising market.



Advanced thermal management

The wind-through module itself could dissipate heat naturally.

Whisper-quiet operation

Fanless design saves power consumption and reduces noise.



# Enhanced brightness and refresh rate

With a high brightness of 8500 nits, YS is more eye-catching and readable than ever in the strong light. Along with 1920Hz of refresh rate and pixel-perfect calibration, Yaham YS delivers true-to-life images, every image appears the way it is shot or designed.











- Accurate and light frame
  - · Accurate and solidly-built frame
  - · Polished design
  - · Aluminum frames
  - · Light weight of 31kg/m²
  - Rear and front accessibility
  - · Four fast rotating locks
  - · All components can be easily serviced from both rear and front



Silver coating, less heat absorption

Traditional black cabinets absorb heat, while we use silver cabinets to avoid this.

Time-proven stability, high Ingress Protection




Both front and rear can reach IP65.











YS - SPECIFICATION		
Model	YS-DT10	YS-D16.67
Pixel pitch	10mm	16.67mm
Pixel density	10000/m²	3600/m²
Cabinet size (W×H×D)	1000×1600×120mm	1200×1600×120mm
Cabinet resolution	100×160	72×96
Module size (W×H)	200×400mm	200×400mm
Module resolution	20×40	12×24
LED arrangement	SMD	DIP
Brightness	7000	8500
Scanning method	1/2	Static
Refresh rate	≥1920	≥1920
Gray scale	16bit	16bit
Viewing angle	H120° / V80°	H140° / V50°
Lifespan	10,0000h	10,0000h
Max. power	650W/m²	450W/m²
Avg. power	210W/m²	180W/m²
Cabinet material	Aluminum	Aluminum
Cabinet weight	56kg	61kg
Display weight	35kg/m²	31kg/m²
Access	Front and rear	Front and rear
Ingress protection	IP65	IP65



## HIGH-END LED DISPLAY SOLUTION PROVIDER



Yaham Optoelectronics Co., Ltd.

**Tel:** +86-755-2950-3560 **Fax:** +86-755-2675-5760 Web: www.yaham.com Email: sales@yaham.com

Address: 118 Yongfu Road, Fuyong, Baoan District, Shenzhen, 518103, China







